



Since its inception, the GGCL has been inseparable from its quality product & designs. To set a new trend in the ceramic industry, we present the "7 WONDER SERIES COLLECTIONS" of unique marbles & stones we would like to call BEJHA SERIES, BHUKHARA SERIES, BLEKKA SERIES, SAPHEDA SERIES, SIMENTA SERIES, ESKEPA SERIES, and KLASSIKO SERIES. Inspired by the Incredible "Natural Colours" and all classified into collection according to the stylistic shades of colours, conceptual quality and grand applications range.

for any coverings, Thanks to its lightweight, easy installation (cutting, drilling, grouting, etc.) and maintenance. It makes the 7 Wonder series particularly suitable for floor & wall cladding in both indoors and outdoors residential and commercial areas, Countertops, partitions and yacht coverings. It can become a fundamental tool for decoration and interior design, a new surface suitable for customizing tables, ceilings, wings and back-lighted partitions.



Kitchen Is The Heart Of The Home, Make It Beautiful With Superior Elements

The kitchen is where you put all the ingredients together, just like the heart of the home. You will always have this image and a perception of how you want to decorate your kitchen space and how you dream of having it all beautified.

To fulfil this dream, it is essential to consider surfaces beyond the floor & wall, like Kitchen backsplash, tabletops, countertops and kitchen furniture more.

Our 7 Wonder series is the answer and a solution to all the kitchen surfaces, offering total natural healthiness surfaces, easy to clean and almost impossible to break and scratch, which is not just a product but is a wonder of the surface kitchen.





Everything Your Decoration Demands, We Have Suitable Style For Luxurious Living.

Understanding the need for a person or people living at home or working in an office is now a primary requirement, including beautifying the surfaces where the person spends most of their time achieving dreams.

Our 7 Wonder series is all made understanding the heart of a person and there mental and emotional needs, which tells an entire tale of adaptability and softness; it is smooth as a second skin which can be wrapped around desks, tables, tray tables as well as doors, walls, floor, mobile walls and cupboards to adapt person space.

It will surround maximum space to protect and create value for your flat, house, and office in a very durable way, creating a tremendous aesthetic look and mental peace when the person at home or working in an extensively resistant low maintenance office.

It will surround maximum space to protect and create value for your flat, house, and office in a very durable way, creating a tremendous aesthetic look and mental peace when the person at home or working in an extensively resistant low maintenance office.






Give Your Bath Space To Fresh Breath Of Beauty And Comfort Together

Our 7 Wonder series is the perfect partner for your bathroom and wellness space which smoothly embraces sink, shower plan, backsplash tile.

It will create perfect harmony and aesthetical combination with the environment and your bathroom space; it does not need excessive maintenance and stays clean and refined, making it an ideal product choice to create a bathhouse excellent for your intimacy and comfort.





"BHUKHARA SERIES" infinite shads of marbles & stones. Colours play primary role in choice of materials for an architectural project. If you are looking for aesthetic feel, starting with a neutral colour like Gray is perfect choice for any space, these colours is represents solid neutrality and stable balance to creating a sense of calm and composure feel. Inspired by this colour we crafted this collection to give completely elevates fascinating look to every space, an extra ordinary designs combine with vibrates shades of gray and creates its own beauty splendour.

This range allows you to use perfect 5 Sizes, Sophisticated 10 Colours, and 2 Finish High Gloss & Polished. An uneven appearance, variable textures and 1200x2400MM, 800X2400MM, 900X1800MM, 800X1600MM & 1200X1200MM size, creating stylish reflections that enhance designs and timeless classicism and give your space to more volumes.


This series is looks like stone. Functions like tile and proved to be ideal choice for Floor, Walls, Kitchen Backsplash, Kitchen Countertops, Bathrooms and Wellness, Balconies, Interior Decor, Offices & Reception Desks, Exterior Patio, Decorations and Artwork. It can be perfectly combined with other colours, and match with any kind of furniture, both contemporary and traditional.

Marbles & stones is one of the most versatile materials when it comes to interior decorations, if you are looking for a timeless yet chic décor style, colour concept of gray gives best outcomes. Simplicity is nature's first step, and the last of art. These occupying gray colours create the soft and simple appearance for every space. It has high longevity which will satisfy customers need for many years and create finest designs impact.

For everything your decoration demands, we have the solution with a decisive character, suitable for luxurious living. Give your space fresh breath of nature with "Bhukhara Series."



available sizes











Symbolism With The Naturalistic Balance Create Calm Ambiance



Application Areas





ET?



俞





















finish HIGH GLOSS

sizes

1200x2400 mm 47"x94"

800x2400 mm 31.5"x94.5"

900x1800 mm 35.5"x71"

800x1600 mm 31.5"x63"

1200x1200 mm 47"x47"

BHUKHARA APOLLO DARK (Counter Top) BHUKHARA AMANI DARK GREY (Wall & Floor)











Use for Floor

Use Counter top Use Kitchen







1200x2400 mm 47"x94"

800x2400 mm 31.5"x94.5"

900x1800 mm 35.5"x71"

800x1600 mm 31.5"x63"

1200x1200 mm 47"x47"













BHUKHARA AMANI LIGHT (





1200x2400 mm 47"x94"

800x2400 mm 31.5"x94.5"

900x1800 mm 35.5"x71"

800x1600 mm 31.5"x63"

1200x1200 mm 47"x47"

BHUKHARA FANTASY CLAY (Wall) BHUKHARA FANTASY BLUE (Floor)













Use Kitchen







1200x2400 mm 47"x94"

800x2400 mm 31.5"x94.5"

900x1800 mm 35.5"x71"

800x1600 mm 31.5"x63"

1200x1200 mm 47"x47"














BHUKHARA MARBLE BROWN (Wall & Floor)





1200x2400 mm 47"x94"

800x2400 mm 31.5"x94.5"

900x1800 mm 35.5"x71"

800x1600 mm 31.5"x63"

1200x1200 mm 47"x47"




















BHUKHARA TRAVERTINO C



X 15mm 800x2400mm 31.5"x94.5" ▼ 06mm ▲ 09mm 900x1800mm 35.5"x71" ▼ 09mm 800x1600mm 31.5"x63" ▼ 06mm ▲ 09mm 1200x1200mm 47"x47"

BHUKHARA AMANI DARK GREY



1200x2400mm 47"x94" ® 3 FACE

06mm | 09mm X




























BHUKHARA APOLLO DARK



1200x2400mm 47"x94" ® 3 FACE

06mm | 09mm X

























800x2400mm 31.5"x94.5" 900x1800mm 35.5"x71" 09mm 800x1600mm 31.5"x63" V 06mm 09mm 1200x1200mm 47"x47"

BHUKHARA FANTASY BLUE



1200x2400mm 47"x94" ® 4 FACE


























BHUKHARA FANTASY CLAY



1200x2400mm 47"x94" ® 4 FACE

06mm | 09mm X




























BHUKHARA MARBLE BROWN



1200x2400mm 47"x94" ® 3 FACE

06mm | 09mm X




























BHUKHARA MARBLE GREY



1200x2400mm 47"x94" ® 4 FACE

06mm | 09mm X






























BHUKHARA TRAVERTINO GREY



1200x2400mm 47"x94" ® 5 FACE

06mm | 09mm X




























BHUKHARA ICE GREY



1200x2400mm 47"x94" ® 3 FACE

06mm | 09mm X




























BHUKHARA AMANI LIGHT



1200x2400mm 47"x94" ® 4 FACE

06mm | 09mm X




























BHUKHARA APOLLO LIGHT



1200x2400mm 47"x94" ® 3 FACE

06mm | 09mm X























PORCELAIN TILES SPECIFICATIONS





Length & Width	6 MM THICKNESS	9 MM THICKNESS	+15 MM THICKNESS	STANDARD REQUIREMENTS	STANDARD TEST METHOD	TEST DESCRIPTION
## Thickness BS EN ISO 10545-2 ± 0.5mm ± 0.	Minimum of 95% of the tiles are free from visible defects				BS EN ISO 10545-2	Surface Quality
Straightness Of Sides	± 0.1mm	± 0.1mm	± 1.0mm	± 1.0mm	BS EN ISO 10545-2	Length & Width
Rectangularity BS EN ISO 10545-2 ± 1.5mm ± 1.5mm ± 1.5mm ± 1.8mm ± 1.	± 0.5mm	± 0.5mm	± 0.5mm	± 0.5mm	BS EN ISO 10545-2	Thickness
Surface Flatness : Centre Curvature BS EN ISO 10545-2 ± 1.8mm ± 1.8mm </td <td>± 0.8mm</td> <td>± 0.8mm</td> <td>± 0.8mm</td> <td>± 0.8mm</td> <td>BS EN ISO 10545-2</td> <td>Straightness Of Sides</td>	± 0.8mm	± 0.8mm	± 0.8mm	± 0.8mm	BS EN ISO 10545-2	Straightness Of Sides
Surface Flatness : Edge Curvature BS EN ISO 10545-2	± 1.5mm	± 1.5mm	± 1.5mm	± 1.5mm	BS EN ISO 10545-2	Rectangularity
Surface Flatness : Warpage BS EN ISO 10545-2 ± 1.8mm ±	± 1.8mm	± 1.8mm	± 1.8mm	± 1.8mm	BS EN ISO 10545-2	Surface Flatness : Centre Curvature
Water Absorption BS EN ISO 10545-3 ≤ 0.5% ≤ 0.4%	± 1.8mm	± 1.8mm	± 1.8mm	± 1.8mm	BS EN ISO 10545-2	Surface Flatness : Edge Curvature
Breaking Strength* BS EN ISO 10545-4 ≥ 1300 N ≥ 700 N — Modulus Of Rupture* BS EN ISO 10545-4 ≥ 35 N/mm² ≥ 37 X 10-6/°C ST X 10-6/	± 1.8mm	± 1.8mm	± 1.8mm	± 1.8mm	BS EN ISO 10545-2	Surface Flatness : Warpage
Breaking Strength* BS EN ISO 10545-4 ≥ 700 N − − ≥ 7 Modulus Of Rupture* BS EN ISO 10545-4 ≥ 35 N/mm² ≥ 37 X 10-6/°C ≤ 7 X 10-6/°C S 7 X 10-6/°C S 8 EN ISO 10545-9 Resistance To Thermal Shock BS EN ISO 10545-9 Test method available No visible defect No visible defect No crazing No crazing No crazing No visible damage No visible effect	≤ 0.4%	≤ 0.4%	≤ 0.4%	≤ 0.5%	BS EN ISO 10545-3	Water Absorption
Modulus Of Rupture* BS EN ISO 10545-4 ≥ 35 N/mm² ≥ 37 X 10-6/°C ≤ 7 X 10-6/°C ≤ 7 X 10-6/°C ≤ 7 X 10-6/°C ≤ 7 X 10-6/°C ≤ 10-6/°C	-	≥1600 N	≥3500 N	≥ 1300 N	BS EN ISO 10545-4	Breaking Strength*
Resistance To Surface Abrasion BS EN ISO 10545-7 Report abrasion class PEI CLASS 2-5 PEI CLA	≥700 N	-	-	≥ 700 N		Breaking Strength
Coefficient Of Linear Thermal Expansion BS EN ISO 10545-8 Test method available ≤7 X 10-6/°C ≤7 X 10-6/°C ≤7 X 10-6/°C ≤7 X 10-6/°C ≤7 X 10-6/°C ≤7 X 10-6/°C ≤7 X 10-6/°C <7 X 10-6/°C	≥ 35 N/mm²	≥ 35 N/mm²	≥ 35 N/mm²	≥ 35 N/mm²	BS EN ISO 10545-4	Modulus Of Rupture*
Thermal Expansion BS EN ISO 10545-8 Test method available Prost Resistance BS EN ISO 10545-11 Required Required No visible defect	PEI CLASS 2-5	PEI CLASS 2-5	PEI CLASS 2-5	Report abrasion class	BS EN ISO 10545-7	Resistance To Surface Abrasion
Crazing Resistance BS EN ISO 10545-11 Required No crazing	≤7 X 10 ⁻⁶ /°C	≤7 X 10 ⁻⁶ /°C	≤7 X 10 ⁻⁶ /°C	Test method available	BS EN ISO 10545-8	
Frost Resistance BS EN ISO 10545-12 Required No visible damage No	No visible defect	No visible defect	No visible defect	Test method available	BS EN ISO 10545-9	Resistance To Thermal Shock
Resistance To Household Chemicals & Swimming Pool Salts BS EN ISO 10545-13 Minimum B Class A No visible effect	No crazing	No crazing	No crazing	Required	BS EN ISO 10545-11	Crazing Resistance
& Swimming Pool Salts BS EN ISO 10545-13 Minimum B No visible effect	No visible damage	No visible damage	No visible damage	Required	BS EN ISO 10545-12	Frost Resistance
	Class A No visible effect			Minimum B	BS EN ISO 10545-13	
	Class LA No visible effect				BE EN ISO 10545-13	
Resistance to Staining BS EN ISO 10545-14 Test method available	Min. Class 4 Stains removed			Test method available	BS EN ISO 10545-14	Resistance To Staining



PACKING DETAIL

No.	Size	Thickness	Pieces / Box	Area / Box	Weight / Box
01	800x2400mm	15mm	1 Pcs.	1.92 Sq. Mtr.	68 Kgs.
01	900x1800mm	06mm	3 Pcs.	4.86 Sq. Mtr.	73 Kgs.
02	900x1800mm	09mm	2 Pcs.	3.24 Sq. Mtr.	68 Kgs.
01	800x1600mm	09mm	2 Pcs.	3.24 Sq. Mtr.	68 Kgs.
01	1200x1200mm	06mm	3 Pcs.	4.32 Sq. Mtr.	65 Kgs.
02	1200x1200mm	09mm	2 Pcs.	2.88 Sq. Mtr.	62 Kgs.
01	1200x2400mm	06mm	2 Pcs.	5.76 Sq. Mtr.	87 Kgs.
02	1200x2400mm	09mm	1 Pcs.	2.88 Sq. Mtr.	62 Kgs.

















8-A, National Highway, Lakhadhirpur Road, Ghuntu, Morbi-363 642, Gujarat, INDIA. Phone Number: +91 90819 88855

E-mail: hello@ggcl.in

Web: www.ggcl.in