



600x600 mm  
semi vitrified tiles



[www.ggcl.in](http://www.ggcl.in)




GLOSSY  
SERIES

**MARBLE**




MARBLE



Semi Vitrified Tiles  
600x600mm



ALMORA BIRACCIA



ALPINO WHITE



ASTER BLUE

#### Application





MARBLE



Semi Vitrified Tiles  
600x600mm

GLOSSY  
SERIES



ATLANTIS GOLD STONE



BOTTICINO CREMA



GARARA BIANCO

- Application
- High Strength
  - Low Maintenance
  - Random Design
  - Eco Friendly





# MARBLE

## Application



GARMEN TUSK



COSTA BEIGE



DIVON BROWN

Semi Vitrified Tiles  
**600x600mm**

**GLOSSY**  
SERIES





MARBLE



Semi Vitrified Tiles  
600x600mm



DYNO BLINK



DYNO GOLD



EARTH VARDE

Application

- High Strength
- Low Maintenance
- Random Design
- Eco Friendly



MARBLE



Semi Vitrified Tiles  
600x600mm

GLOSSY  
SERIES



EMPRADOR ARIZONA



FOSSIL SATVARIO



ICE BLUE

Application

  
High Strength

  
Low Maintenance

  
Random Design


  
Eco Friendly






## MARBLE

### Application



JUPITER ONIX



MARBO WHITE



MIDAS WHITE

Semi Vitrified Tiles  
**600x600mm**

**GLOSSY**  
SERIES





MARBLE



Semi Vitrified Tiles  
600x600mm


GLOSSY  
SERIES



MIMOZA CHEX



MIST BROWN




PLAZZARO WHITE

- Application
- High Strength
  - Low Maintenance
  - Random Design
  - Eco Friendly





MARBLE



Semi Vitrified Tiles  
600x600mm



PROVENZA GOLD



PULPIS GREY



RIVIERA BLACK

Application





MARBLE



Semi Vitrified Tiles  
**600x600mm**



SATVARIO PEARL



SLATE NERO



SNOW WHITE

Application

  
High Strength

  
Low Maintenance


  
Random Design

  
Eco Friendly





MARBLE




Semi Vitrified Tiles  
600x600mm



SPAN GOLD



SPAN GREY



STONELLA BLUE

Application

- High Strength
- Low Maintenance
- Random Design
- Eco Friendly



## MARBLE

### Application



STONY BEIGE



TRAVENTINO MARFIL



TRIM WOOD



VULCAN GRIS

Semi Vitrified Tiles  
**600x600mm**


**GLOSSY**  
SERIES







[www.ggcl.in](http://www.ggcl.in)



SATIN  
SERIES

**G R A N I T A**




## GRANITA


### Application



AMPERO\_LT



AMPERO-DK



AZZRO

Semi Vitrified Tiles  
**600x600mm**

**SATIN**  
SERIES





GRANITA




Semi Vitrified Tiles  
600x600mm



BRONZA



BURBERRY



DAYTONA

Application

- High Strength
- Low Maintenance
- Random Design
- Eco Friendly







GRANITA




Semi Vitrified Tiles  
600x600mm



GRANITA BEIGE



GRANITA BERGER



GRANITA BIANCO

Application

- High Strength
- Low Maintenance
- Random Design
- Eco Friendly




## GRANITA


### Application



GRANITA COFFEE




GRANITA CREMA



GRANITA GREY

Semi Vitrified Tiles  
**600x600mm**

**SATIN**  
SERIES





GRANITA



Semi Vitrified Tiles  
600x600mm



GRANITA MARFIL BROWN



GRANITA NERO



GRANITA TOSCO CREMA




Application






## GRANITA

### Application



GRANITA VERDE



GRANITA-ANCIENT



LASA BROWN


Semi Vitrified Tiles  
**600x600mm**

**SATIN**  
SERIES






GRANITA



Semi Vitrified Tiles  
600x600mm



LATTO



MOZETO



PASSION BEIGE

Application

High Strength

Low Maintenance

Random Design

Eco Friendly






GRANITA



Semi Vitrified Tiles  
600x600mm



PIATRA SAND



ROYAL GREY



ROYAL ROCK

Application






## GRANITA

### Application



Semi Vitrified Tiles  
**600x600mm**



SWIDEN GREY




TRIVIA BIANCO

**SATIN**  
SERIES





[www.ggcl.in](http://www.ggcl.in)



RUSTIC  
SERIES

**G R A N I T A**





Semi Vitrified Tiles  
600x600mm



BRONZA BROWN



COPPER DARK



CORUS DARK

Preview Show This Design  
**Bronza Brown**

#### Application







Semi Vitrified Tiles  
600x600mm



DENZA MULTI



ESTONIA



GEO BLUE



# Application







LEGMA NATURAL



LOREX BROWN



SONAR BROWN

Semi Vitrified Tiles  
**600x600mm**

**RUSTIC**  
SERIES







Semi Vitrified Tiles  
600x600mm



SPARKO BROWN



ARCADIA MARFIL



DUSTER MULTI

Preview Show This Design  
**DUSTER MULTI**

#### Application







FUSION BEIGE



KASHMIRI PINE



LIMBA CREMA

Semi Vitrified Tiles  
**600x600mm**

**RUSTIC**  
SERIES

Preview Show This Design  
**KASHMIRI PINE**

## Application







**GGCL**<sup>TM</sup>  
by GruppoNueva

Semi Vitrified Tiles  
**600x600mm**



LIVA WHITE



MARVEL IVORY



NUT BROWN



Application







Semi Vitrified Tiles  
600x600mm



PERIA LIGHT



RED FORT



SPARKLE GREY

Preview Show This Design  
**SPARKLE GREY**

#### Application







BIANGO WOOD



COPPER WOOD



COSMO WOOD

Semi Vitrified Tiles  
**600x600mm**

**RUSTIC**  
SERIES

Preview Show This Design  
**COSMO WOOD**

## Application







Semi Vitrified Tiles  
600x600mm



**GGCL**<sup>TM</sup>  
by GruppoNueva



GOTTO WOOD



DEGORE WOOD



ETHICS WOOD



## Application







FABIA WOOD



FERRO WOOD



FORESTA WOOD

Semi Vitrified Tiles  
**600x600mm**


**RUSTIC**  
SERIES

Preview Show This Design  
**FERRO WOOD**

## Application







Semi Vitrified Tiles  
600x600mm



GARMEN WOOD



GOLD WOOD



GREY GOOD

Preview Show This Design  
**GOLD WOOD**

#### Application







Semi Vitrified Tiles  
600x600mm



GRIS WOOD



JAXX WOOD



LAPATO WOOD



### Application







LEGO WOOD



MARFIL WOOD



MINT WOOD

Semi Vitrified Tiles  
**600x600mm**

**RUSTIC**  
SERIES





PACKING DETAIL

| PRODUCT TYPE         | SIZE IN MM | APPROX THICKNESS | PCS/BOX | SQM/BOX | SQF/BOX | WEIGHT            |
|----------------------|------------|------------------|---------|---------|---------|-------------------|
| Semi Vitrified Tiles | 600x600mm  | 9mm              | 4PCS    | 1.44    | 15.5    | Approx 28.5kg/Box |

GLAZED GRES PORCELAIN FLOOR TILE  
Pressed Ceramic Tiles International Norm  
ISO 13006-10545/98  
GROUP: B1b



| No. | Icon | Test item                     | Unit | Requirements of Standard                                                                                                       |       | Test result  | Result            |
|-----|------|-------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------|-------|--------------|-------------------|
| 1   |      | Dimensional variation         | (%)  | length of side                                                                                                                 | 0.6   | < 0.6        | Qualified         |
| 2   |      | Side straightness             | (%)  | ± 0.5                                                                                                                          |       | < 0.5        | Qualified         |
| 3   |      | Squareness                    | (%)  | ± 0.5                                                                                                                          |       | < 0.5        | Qualified         |
| 4   |      | Surface flatness              | (%)  | Center curvature degree                                                                                                        | ± 0.5 | < 0.5        | Qualified         |
|     |      |                               |      | Warping degree                                                                                                                 | ± 0.5 | < 0.5        | Qualified         |
|     |      |                               |      | Side curvature degree                                                                                                          | ± 0.5 | < 0.5        | Qualified         |
| 5   |      | Surface quality               | —    | Sighting vertically at a distance of 0.8 meter away from the tile no defect on surface is observed in at least 95% of the tile |       | conformed    | Qualified         |
| 6   |      | Water absorption              | (%)  | Average value ≤ 3<br>individual ≤ 3.3                                                                                          |       | < 3<br>< 3   | Qualified         |
| 7   |      | Breaking strength             | N    | When thickness ≥ 7.5mm the Average value ≥ 700                                                                                 |       | >700         | Qualified         |
| 8   |      | Rupture modulus               | Mpa  | Average value ≥ 30<br>individual ≥ 27                                                                                          |       | > 30<br>> 30 | Qualified         |
| 9   |      | Abrasion resistance           | revs | > 1500                                                                                                                         |       | > 1700       | Qualified Class 3 |
| 10  |      | Scratch resistance            | MOH  | —                                                                                                                              |       | > 5          | Qualified         |
| 11  |      | Frost resistance              | —    | No cracking after test                                                                                                         |       | conformed    | Qualified         |
| 12  |      | Resistance to acids & alkalis | —    | not less than grade GB                                                                                                         |       | Grade GA     | Qualified         |
| 13  |      | Chemical resistance           | —    | not less than grade GB                                                                                                         |       | Grade GA     | Qualified         |
| 14  |      | PEI rating                    | —    | Porcelain Enamel Institute Rating                                                                                              |       | 4            | Qualified         |



**24**<sup>YEARS</sup>  
1997 | 2021

**GruppoNueva**  
one group - one mind - one vision



## GRUPO GRIFFIN CERAMICA LLP

8-A, National Highway, Lakhadhirpur Road, Ghuntu,  
Morbi-363642, Gujrat, INDIA.

Phone Number : +91 90819 88855

E-mail: [hello@ggcl.in](mailto:hello@ggcl.in)

Web: [www.ggcl.in](http://www.ggcl.in)