



GruppoNueva
one group - one mind - one vision

**Full Body Slabs
By Gruppo Nueva**

800x2400MM
15MM THICKNESS

www.ggcl.in



Gruppo Nueva 24 Years 1997/2021

Founded in 1997, Gruppo Nueva A key player in the Indian ceramics industry. Gruppo Nueva's headquarters, manufacturing facilities, laboratories, are all located in Morbi (Gujarat) India.


Gruppo Nueva is an Indian group, the pioneer in producing and distributing porcelain tiles & mosaics for floors and walls. With more than 800 employees, 500 customers, six production facilities, and a turnover of 88 million\$ in 2019.

Gruppo Nueva's all production units Designed according to the most modern technical and environmental criteria, and it is a technologically advanced facility that reflects the forward-looking group philosophy.

Group of Companies :



FULL BODY SLABS WITH NEW THINKING



15MM

why ?

THICKNESS
15MM

15mm is perfect to carry out cutting, moulding, bull nosing & chamfering process. The multiple applications which 15mm bring into life is marvellous. We are using it as floors, walls and countertop applications. Because of the colorbody 15mm slabs, the beauty of any statuario or breccia or marfil is not less than the real natural figures. In the high traffic areas, like airports, shopping malls, metro stations, public parking areas etc, the use of unglazed products in 15mm is perfect option. We are making and promoting 15mm Nueva Slabs to use as countertops because it is food grade safe and easy to install and economic than it's competitive products while having the better ambience and feel.

A High Performance Product with Natural Ambience

Application

- | | | | |
|--|---|--|---|
| 
KITCHEN
UNIT TOP | 
BATHROOM
VANITY TOPS | 
DINING TABLE | 
WASH BASIN
VANITY TOPS |
| 
STEP & RISERS | 
DOOR & WINDOW
SEALS | 
TV CABINET UNIT
CLADDING | 
FLOORS |
| 
WALLS | 
OUTDOOR
PARKING AREAS | 
LEFT & LOBBY
AREAS | |



www.grupponueva.com

Superior Technical Characteristics Suitable For Multiple Applications

Features



HIGH RESISTANCE TO
SCRATCHES



FLEXIBLE BODY TO
ELIMINATE BENDING ISSUE



NO REACTION TO
NATURAL SUNLIGHT



HIGHLY THERMAL
RESISTANT



DURABLE



CAN BE MOULDED
CUT & SHAPED



STAIN RESISTANT
PROPERTIES



EASY TO
CLEAN



EASY TO
INSTALL & APPLY



FOOD GRADE
SAFE



MADE FROM 100%
RECYCLABLE MATERIALS



NO ABSORPTION
PROPERTIES



Kitchen Unit Top



Bathroom Vanity Tops



Dining Table



Wash Basin Vanity Tops



Step & Risers



Door & Window Seals

SUPER WHITE

COLOR BODY

►
800x2400mm
Polished / Smooth Finish
15mm Thickness



Kitchen Unit Top



Bathroom Vanity Tops



Dining Table



Wash Basin Vanity Tops



Step & Risers




Door & Window Seals

DIAMOND BLACK

COLOR BODY

►
800x2400mm
Polished / Smooth Finish
15mm Thickness





Kitchen Unit Top



Bathroom Vanity Tops



Dining Table



Wash Basin Vanity Tops



Step & Risers



Door & Window Seals

**DARK
GREY**

FULL BODY

►
800x2400mm
Polished / Smooth Finish
15mm Thickness





Royal Orbit



Kitchen Unit Top



Bathroom Vanity Tops



Dining Table



Wash Basin Vanity Tops



Step & Risers



Door & Window Seals

GREY

FULL BODY

►
800x2400mm
Polished / Smooth Finish
15mm Thickness





Kitchen Unit Tops



Bathroom Vanity Tops



Dining Table



Wash Basin Vanity Tops



Step & Risers



Door & Window Seals

BROWN

FULL BODY

►
800x2400mm
Polished / Smooth Finish
15mm Thickness





Kitchen Unit Top



Bathroom Vanity Tops



Dining Table



Wash Basin Vanity Tops



Step & Risers



Door & Window Seals

MUSHROOM

FULL BODY

►
800x2400mm

Polished / Smooth Finish

15mm Thickness





Kitchen Unit Top



Bathroom Vanity Tops



Dining Table



Wash Basin Vanity Tops



Step & Risers



Door & Window Seals

CREMA IVORY

FULL BODY

►
800x2400mm
Polished / Smooth Finish
15mm Thickness





Kitchen Unit Top



Bathroom Vanity Tops



Dining Table



Wash Basin Vanity Tops



Step & Risers



Door & Window Seals

STATUARIO VIVIAN

COLOR BODY

►
800x2400mm
Polished / Smooth Finish
15mm Thickness





Kitchen Unit Top



Bathroom Vanity Tops



Dining Table



Wash Basin Vanity Tops



Step & Risers



Door & Window Seals

STATURIO CLASSIC

COLOR BODY

►
800x2400mm
Polished / Smooth Finish
15mm Thickness





Kitchen Unit Top



Bathroom Vanity Tops



Dining Table



Wash Basin Vanity Tops



Step & Risers



Door & Window Seals

SCREPOLATO NERO

COLOR BODY

►
800x2400mm
Polished / Smooth Finish
15mm Thickness





Kitchen Unit Top



Bathroom Vanity Tops



Dining Table



Wash Basin Vanity Tops



Step & Risers



Door & Window Seals

ROSSO VENATO BLACK

COLOR BODY

►
800x2400mm
Polished / Smooth Finish
15mm Thickness





Kitchen Unit Top



Bathroom Vanity Tops



Dining Table



Wash Basin Vanity Tops



Step & Risers



Door & Window Seals

ROSSO VENATO RED

COLOR BODY


►
800x2400mm
Polished / Smooth Finish
15mm Thickness




►
800x2400mm
Polished / Smooth Finish
15mm Thickness
COLOR BODY




CALACATTA WOW




STATUARIO ICE



ONICE



ORO BIANCO



TERRAZZO WHITE



►
800x2400mm
Polished / Smooth Finish
15mm Thickness
COLOR BODY



PALISSANDRO



LHASA GOLD



OPERA WHITE



PROSTONE IVORY



SEA GREEN





Kitchen Unit Tops



Bathroom Vanity Tops



Dining Table



Wash Basin Vanity Tops



Step & Risers




Door & Window Seals

VOLGA BLUE

COLOR BODY

►
800x2400mm
Polished / Smooth Finish
15mm Thickness





Kitchen Unit Top



Bathroom Vanity Tops



Dining Table



Wash Basin Vanity Tops



Step & Risers




Door & Window Seals

WHITE PORTORO

COLOR BODY

►
800x2400mm
Polished / Smooth Finish
15mm Thickness





- 
Kitchen Unit Top
- 
Bathroom Vanity Tops
- 
Dining Table
- 
Wash Basin Vanity Tops
- 
Step & Risers
- 
Door & Window Seals

PORTOVENERE MARBLE

COLOR BODY

►
800x2400mm
Polished / Smooth Finish
15mm Thickness





Kitchen Unit Top



Bathroom Vanity Tops



Dining Table



Wash Basin Vanity Tops



Step & Risers



Door & Window Seals

PORTORO NERO

COLOR BODY

►
800x2400mm
Polished / Smooth Finish
15mm Thickness





- 
Kitchen Unit Top
- 
Bathroom Vanity Tops
- 
Dining Table
- 
Wash Basin Vanity Tops
- 
Step & Risers
- 
Door & Window Seals

BLACK BEAUTY

COLOR BODY


►
800x2400mm
Polished / Smooth Finish
15mm Thickness



►
800x2400mm
Polished / Smooth Finish
15mm Thickness
COLOR BODY



BAHIA WAVE



BLUE RUST



OPAL BLUE



BLACK TULIP



IRIDE NERO



►
800x2400mm
Polished / Smooth Finish
15mm Thickness
COLOR BODY



DARK EMPERADOR



CAMOFLANGE BROWN



CLEOPATRA BEIGE



FOREST BROWN



TOBACCO BROWN



►
800x2400mm
Polished / Smooth Finish
15mm Thickness
COLOR BODY



BOTTICHINO



BRECCIA BEIGE



BRECCIA PARADISE



DYNA



TRAVERTINO



►
800x2400mm
Polished / Smooth Finish
15mm Thickness
COLOR BODY



GALAXY BLACK




GALAXY BROWN



GALAXY CREMA



GALAXY GREY



GALAXY MUSHROOM



GALAXY WHITE



PORCELAIN TILES

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENT	15 MM THICKNESS	9 MM THICKNESS	6 MM THICKNES
SURFACE QUALITY	BS EN ISO 10545-2	A MINIMUM 95 % OF THE TILE ARE TO BE FREE FROM VISIBLE DEFECTS	MINIMUM 95 % TILE ARE FREE FROM VISIBLE DEFECTS		
LENGTH & WIDTH	BS EN ISO 10545-2	± 1.0 MM	± 1.0 MM	± 0.1 MM	± 0.1 MM
THICKNESS	BS EN ISO 10545-2	± 0.5 MM	± 0.5 MM	± 0.5 MM	± 0.5 MM
STRAIGHTNESS OF SIDES	BS EN ISO 10545-2	± 0.8 MM	± 0.8 MM	± 0.8 MM	± 0.8 MM
RECTANGULARITY	BS EN ISO 10545-2	± 1.5 MM	± 1.5 MM	± 1.5 MM	± 1.5 MM
SURFACE FLATNESS : CENTRE CURVATURE	BS EN ISO 10545-2	± 1.8 MM	± 1.8 MM	± 1.8 MM	± 1.8 MM
SURFACE FLATNESS : EDGE CURVATURE	BS EN ISO 10545-2	± 1.8 MM	± 1.8 MM	± 1.8 MM	± 1.8 MM
SURFACE FLATNESS : WARPAGE	BS EN ISO 10545-2	± 1.8 MM	± 1.8 MM	± 1.8 MM	± 1.8 MM
WATER ABSORPTION	BS EN ISO 10545-3	≤ 0.5%	≤ 0.4%	≤ 0.4%	≤ 0.4%
BREAKING STRENGTH	BS EN ISO 10545-4	≥ 1300 N ≥ 700 N	≥ 3500 N -	≥ 1600 N -	- ≥ 700 N
MODULUS OF RUPTURE	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 35 N/mm ²	≥ 35 N/mm ²	≥ 35 N/mm ²
RESISTANCE TO SURFACE ABRASION	BS EN ISO 10545-7	REPORT ABRASION CLASS	PEI CLASS 2-5	PEI CLASS 2-5	PEI CLASS 2-5
COEFFICIENT OF LINEAR THERMAL EXPANSION	BS EN ISO 10545-8	TEST METHOD AVAILABLE	≤ 7 x 10 ⁻⁶ /°C	≤ 7 x 10 ⁻⁶ /°C	≤ 7 x 10 ⁻⁶ /°C
RESISTANCE TO THERMAL SHOCK	BS EN ISO 10545-9	TEST METHOD AVAILABLE	NO VISIBLE DEFECT	NO VISIBLE DEFECT	NO VISIBLE DEFECT
CRAZING RESISTANCE	BS EN ISO 10545-11	REQUIRED	NO CRAZING	NO CRAZING	NO CRAZING
FROST RESISTANCE	BS EN ISO 10545-12	REQUIRED	NO VISIBLE DAMAGE	NO VISIBLE DAMAGE	NO VISIBLE DAMAGE
RESISTANCE TO HOUSEHOLD CHEMICALS & SWIMMING POOL SALTS	BS EN ISO 10545-13	MINIMUM B	CLASS A NO VISIBLE EFFECT	CLASS A NO VISIBLE EFFECT	CLASS A NO VISIBLE EFFECT
RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS	BS EN ISO 10545-13	MANUFACTURER TO STATE CLASSIFICATION	CLASS LA NO VISIBLE EFFECTS	CLASS LA NO VISIBLE EFFECTS	CLASS LA NO VISIBLE EFFECTS
RESISTANCE TO STAINING	BS EN ISO 10545-14	TEST METHOD AVAILABLE	MIN CLASS 4 STAINS REMOVED	MIN CLASS 4 STAINS REMOVED	MIN CLASS 4 STAINS REMOVED

WOODEN PALLET

WOODEN	20FT	40FT
TOTAL PALLET	12	14
TOTAL BOX	336	392
NET W.T	22,848kg	26,656kg
GROSS W.T	24,048kg	28,056kg
TOTAL SQM	645.12	752.64
TOTAL SQFT	6944.07	8101.41

IRON PALLET

U FRAME	20FT	40FT
TOTAL PALLET	12	13
TOTAL BOX	348	390
NET W.T	23,664kg	26,520kg
GROSS W.T	24,624kg	27,560kg
TOTAL SQM	668.16	748.8
TOTAL SQFT	7192.07	8060.08



TRUCK LOAD DETAILS

SIZE	THICKNESS	TRUCK TYPE	PCS/BOX	SQFT/BOX	WT/BOX	BOX/TRUCK
800x2400	15	42 TON	1	20.67	68	620
800x2400	15	35 TON	1	20.67	68	510
800x2400	15	25 TON	1	20.67	68	350

www.ggcl.in



GRUPO GRIFFIN CERAMICA LLP

8-A, National Highway, Lakhadhirpur Road, Ghuntu,
Morbi-363642, Gujrat, INDIA.
Phone Number : +91 90819 88855

E-mail: hello@ggcl.in

Web: www.ggcl.in