

[www.ggcl.in](http://www.ggcl.in)

24 YEARS  
1997-2021



800x1600 mm  
Carving

*by*

**GruppoNueva**

one group - one mind - one vision

COLLECTION 2021

when love and skill work together,  
expect a

*Masterpiece*



## GruppoNueva

one group - one mind - one vision

One of the leading and emerging manufacturer, having headquarter in Morbi. Renowned for innovative ceramic excellence and a brand that stands for new thinking, Thinking that aligns with our client's need to serve them better. The group manufactures surfaces inspired by nature bringing in the warmth of natural elements with its color options and natural textures.

24 YEARS  
1997 | 2021

NU  
EV  
PORCELAIN

NU  
EV  
PORCELAIN

NU  
EV  
PORCELAIN

GRUPPO  
NUOVA

GRUPPO  
NUOVA

GGCI


A square tile sample featuring a photograph of a rocky coastline with waves crashing against the shore. The image is framed by a grid of small white plus signs. The word "CREATIVE" is printed in large, white, sans-serif capital letters across the center of the tile. To the right of the word, the dimensions "800 X1600 MM" are printed in smaller white capital letters.

# CREATIVE

800  
X1600  
MM

A vertical rectangular tile sample featuring a close-up, abstract view of a rock surface with swirling, organic patterns in shades of grey, white, and blue. The word "ROCK ABSTRACT MARBLE" is printed in white, sans-serif capital letters on the right side of the tile.

ROCK  
ABSTRACT  
MARBLE



**DECOR ABSTRACT MARBLE**

**ROCK ABSTRACT MARBLE || || || || ||**





ROCK ABSTRACT MARBLE





# MAJESTIC


800  
X1600  
MM



ROCK  
AMANI  
BEIGE

+

+



**ROCK AMANI BEIGE** || || | | |





ROCK AMANI BEIGE





# DRAMATIC

800  
X1600  
MM

ROCK  
AMANI  
BIANCO

+

+



**ROCK AMANI BIANCO** || || || || ||



ROCK AMANI BIANCO







# MAJESTIC

800  
X1600  
MM

ROCK  
AMANI  
BROWN



**ROCK AMANI BROWN** |||||




The  
Williamsburg  
Hotel

ROCK AMANI BROWN







# INNOVATE

800  
X1600  
MM

ROCK  
AMANI  
GREY



**ROCK AMANI GREY** |||||



ROCK AMANI GREY





# ARTISTIC

800  
X1600  
MM

ROCK  
BOTTOCHINO  
DELUX

+

+



**ROCK BOTTOCHINO DELUX** || || | | |



ROCK BOTTOCHINO DELUX





# BRILLIANT

800  
X1600  
MM

ROCK  
BRECCIA





+

+

+

+

+

+

+

+

+

+

+



**ROCK BRECCIA** || || || || ||





ROCK BRECCIA







# RE NO WN ED

800  
X1600  
MM

ROCK  
CEPPO  
BEIGE





+

+

+

+

+

+


+

+

+

+

+



**ROCK CEPPO BEIGE** || || || || ||






ROCK CEPPPO BEIGE







# COMELY

800  
X1600  
MM

ROCK  
CEPPO  
GREY





+

+

+

+

+

+

+

+

+

+

+



**ROCK CEPPO GREY** || || || || ||





ROCK CEPPPO GREY







# MAXIMIZED

800  
X1600  
MM



ROCK  
DORLIN  
GREY





**ROCK DORLIN GREY** || || || || ||



ROCK DORLIN GREY





# ESSENCE

800  
X1600  
MM

ROCK  
DYNA





+

+

+

+

+

+

+

+

+

+

+



**ROCK DYNA** || || || || ||





ROCK DYNA







# GORGEOUS

800  
X1600  
MM

ROCK  
ELECTRA





+

+

+

+

+

+

+

+

+

+

+



**ROCK ELECTRA** || || || || ||



ROCK ELECTRA







# AESTHETIC

800  
X1600  
MM



ROCK  
ELECTRA  
BROWN



+

+

+

+

+

+

+

+

+

+

+



**ROCK ELECTRA BROWN** || || || || ||





ROCK ELECTRA BROWN



# DISTINGUISH

800  
X1600  
MM



ROCK  
LEROX  
WHITE





+

+



**ROCK LEROX WHITE** || || || ||

ROCK LEROX WHITE





**STUNNING**

800  
X1600  
MM

**ROCK  
LILAC  
WHITE**



+

+



**ROCK LILAC WHITE** || || || || ||





ROCK LILAC WHITE





# DAZZLING

800  
X1600  
MM

ROCK  
LUNA  
BEIGE





+

+

+

+

+

+

+

+

+

+

+




**ROCK LUNA BEIGE** || || | | |





ROCK LUNA BEIGE





# STAGGERING

800  
X1600  
MM

ROCK  
MARFIL  
RIPPLE



+

+

+

+

+

+

+



**ROCK MARFIL RIPPLE** || || || || ||






ROCK MARFIL RIPPLE





+ + + + +  
+ + + + +  
**I N S P I R E D**  
+ + + + +  
+ + + + +  
+ + + + +  
+ + + + +  
+ + + + +



800  
X1600  
MM



ROCK  
MARINA  
TRAVERTINO





+

+

+

+

+

+

+

+

+

+

+



**ROCK MARINA TRAVERTINO** || || || || ||





ROCK MARINA TRAVERTINO





# SENSUOUS

800  
X1600  
MM

ROCK  
NACARADO  
GOLD



+

+

+

+

+

+

+

+

+



**ROCK NACARADO GOLD** |||||





ROCK NACARADO GOLD







# DISTINGUE

800  
X1600  
MM

ROCK  
PESATO  
BEIGE





+

+

+

+

+

+

+

+

+

+

+



**ROCK PESATO BEIGE** || || || || ||





ROCK PESATO BEIGE







**P  
O  
T  
E  
N  
T**

**800  
X1600  
MM**

**ROCK  
PISTA  
NATURAL**



+

+

+

+

+

+

+

+

+

+

+



**ROCK PISTA NATURAL** || || | | |





ROCK PISTA NATURAL





# POTENT

800  
X1600  
MM

ROCK  
PORTANTA  
GRIS





+ + + + + + +

+ + + + + + +



**ROCK PORTANTA GRIS** ||| || | |





ROCK PORTANTA GRIS








**EX  
TR  
AV  
AG  
ANT**

800  
X1600  
MM



**ROCK  
ROYAL  
BOTTOCHINO**

+ + + +  
+ + + + + +




**ROCK ROYAL BOTTOCHINO** |||||





ROCK ROYAL BOTTOCHINO



VIVID

800  
X1600  
MM

ROCK  
STATUARIO  
SPLENDID





**ROCK STATUARIO SPLENDID** || || | |



ROCK STATUARIO SPLENDID





# APPEALING

800  
X1600  
MM

ROCK  
TRAVERTINE



**ROCK TRAVERTINE** || || | | |





ROCK TRAVERTINE



OP  
UL  
ENT  
T

800  
X1600  
MM

ROCK  
UNIQUE  
STATUARIO





**ROCK UNIQUE STATUARIO |||||**



ROCK UNIQUE STATUARIO





# OPULENT

800  
X1600  
MM

ROCK  
VEGAS  
GOLD





+

+



**ROCK VEGAS GOLD** || || || || ||





ROCK VEGAS GOLD



# RADIANT

800  
X1600  
MM

ROCK  
WILLIAM  
BEIGE





+

+

+

+

+

+

+

+

+

+

+



**ROCK WILLIAM BEIGE** || || | | |



ROCK WILLIAM BEIGE







# LUMINOUS

800  
X1600  
MM

ROCK  
WILLIAM  
GREY



**ROCK WILLIAM GREY** || || || || ||





ROCK WILLIAM GREY



# SURREAL

800  
X1600  
MM

FOSTER  
BEIGE



+


+



**FOSTER BEIGE** || || | | |

*Mandarin Oriental*

FOSTER BEIGE





# ENIGMATIC

800  
X1600  
MM

FOSTER  
BIANCO



+ + + + + + +

+ + + + + + +




**FOSTER BIANCO** |||||





FOSTER BIANCO



UN  
REAL

800  
X1600  
MM

FOSTER  
CAPPUCCINO





**FOSTER CAPPUCCINO** || || | | |



FOSTER CAPPUCCINO



# SPL END ID

800  
X1600  
MM

FOSTER  
GREY



+

+



**FOSTER GREY** ||| | |



REBELLA  
HOTEL

FOSTER GREY





# OP LU E N T

800  
X1600  
MM

FOSTER  
GRIS







**FOSTER GRIS** || || | | |



FOSTER GRIS







# EXQUISITE

800  
X1600  
MM

FOSTER  
NERO

+

+

+

+

+

+

+

+

+

+

+



**FOSTER NERO** || || | | |





FOSTER NERO

# RAVISHIN

800  
X1600  
MM

FOSTER  
TAUPE






**FOSTER TAUPE** || || | | |



FOSTER TAUPE





# Technical Specification

| CHARACTERISTICS               | STANDARD AS PER<br>ISO-13006/En14411 GROUP | VALUES        | TEST METHOD    |
|-------------------------------|--------------------------------------------|---------------|----------------|
| REGULATORY PROPERTIES         |                                            |               |                |
| Deviation in Lenth & Width    | 0.50%                                      | 0.20%         | ISO - 10545-2  |
| Deviation in Thickness        | 0.50%                                      | 0.50%         | ISO - 10545-2  |
| Straightness of Sides         | 0.50%                                      | 0.20%         | ISO - 10545-2  |
| Rectangularity                | 0.50%                                      | 0.20%         | ISO - 10545-2  |
| Surface Flatness              | 0.50%                                      | 0.20%         | ISO - 10545-2  |
| Color Difference              | Unaltered                                  | No Change     | ISO - 10545-16 |
| Glossiness                    | As per Mfg.                                | >90%          | Glossmeter     |
| STRUCTURAL PROPERTIES         |                                            |               |                |
| Water Absorption              | <0.05%                                     | <0.05%        | ISO - 10545-3  |
| Apparent Density              | >2.00 g/cc                                 | >2.10 g/cc    | DIN 51082      |
| MASSIVE MECHANICAL PROPERTIES |                                            |               |                |
| Modulus of Repture            | Min 35N/MM2                                | Min 40N/MM2   | ISO - 10545-4  |
| Breaking Strength             | Min. 1300 N                                | Min. 2000 N   | ISO - 10545-4  |
| Impact Resistance             | As per Mfg.                                | Min. 0.55     | ISO - 10545-5  |
| SURFACE MECHANICAL PROPERTIES |                                            |               |                |
| Surface Abrasion Resistance   | As per Mfg.                                | Min. class 3  | ISO - 10545-7  |
| Moh's Hardness                | As per Mfg.                                | Min. class 4  | EN 101         |
| THERMO HYGROMETRIC PROPERTIES |                                            |               |                |
| Frost Resistance              | No Damage                                  | No Damage     | ISO - 10545-12 |
| Thermal Shock Resistance      | No Damage                                  | No Damage     | ISO - 10545-09 |
| Moisture Expansion            | Nil                                        | Nil           | ISO - 10545-10 |
| Thermal Expansion             | Max 9.0x10 -6                              | Max 6.5x10 -6 | ISO - 10545-08 |
| Crazing Resistance            | As per Mfg.                                | Min 10 Cycle  | ISO - 10545-11 |
| CHEMICAL PROPERTIES           |                                            |               |                |
| Chemical Resistance           | No Damage                                  | No Damage     | ISO - 10545-13 |
| Stain Resistance              | Resistant                                  | Resistant     | ISO - 10545-14 |
| SAFETY PROPERTIES             |                                            |               |                |
| Slip Resistance               | As per Mfg.                                | >0.40         | ISO - 10545-17 |
| Fire Resistance               | As per Mfg.                                | Fire Proof    | N.A.           |

## Packing Detail

| SIZE (in mm) | THICKNESS APPROX | PIECES / PER BOX | COVERAGE AREA IN SQ. FT | BOX WEIGHT ( APPROX. ) |
|--------------|------------------|------------------|-------------------------|------------------------|
| 800X1600     | 9 MM             | 2                | 27.55                   | 52 KG                  |

**24**<sup>YEARS</sup>  
1997 | 2021

**GruppoNueva**  
one group - one mind - one vision



8-A, National Highway, Lakhadhirpur Road, Ghuntu,  
Morbi-363642, Gujrat, INDIA.  
Phone Number : +91 90819 88855 , +91 76005 67662

E-mail : [hello@ggcl.in](mailto:hello@ggcl.in)

Web : [www.ggcl.in](http://www.ggcl.in) , [www.grupponueva.com](http://www.grupponueva.com)