

www.ggcl.in

1000x2000 mm

by

GruppoNueva

one group - one mind - one vision

COLLECTION 2021

24 YEARS
1997 | 2021

NU
EVA
PORCELAIN

NU
EVA
MOSAICS

NU
EVA
MARTILE

GRYFFON
COLLECTION

GRACIA
COLLECTION

GGCI
GROUP

when love and skill work together,

expect a *Masterpiece*



Gruppo Nueva

one group - one mind - one vision

One of the leading and emerging manufacturer, having headquarter in Morbi. Renowned for innovative ceramic excellence and a brand that stands for new thinking, Thinking that aligns with our client's need to serve them better. The group manufactures surfaces inspired by nature bringing in the warmth of natural elements with its color options and natural textures.

24^{YEARS}
1997 | 2021

nu
eva
PORCELAIN

nu
eva
MOSAICS

nu
eva
WALLS

GRYPHON
Ceramics

GRYPHON
Ceramics

GGCL
Gruppo Nueva



SPECKLE STATUARIO

Suitable
Applications



MALL



HALL



HOTEL



AIRPORT



SPA



SIZE
1000x2000 mm

FINISH
GLOSSY





NUEVA CARARA MARBLE

Suitable

Applications



MALL



HALL



HOTEL



AIRPORT



SPA



SIZE
1000x2000 mm

FINISH
GLOSSY





NEPTUNE STATUARIO

Suitable

Applications



MALL



HALL



HOTEL



AIRPORT



SPA



SIZE
1000x2000 mm

FINISH
GLOSSY





NAIROBI WHITE

Suitable
Applications



MALL



HALL



HOTEL



AIRPORT



SPA



SIZE
1000x2000 mm

FINISH
GLOSSY



BRECCIA STONE BEIGE

Suitable
Applications



SIZE
1000x2000 mm

FINISH
GLOSSY



BRECCIA STONE GREY

Suitable
Applications



SIZE
1000x2000 mm

FINISH
GLOSSY



BLEND BROWN

Suitable
Applications

- 
MALL
- 
HALL
- 
HOTEL
- 
AIRPORT
- 
SPA



SIZE
1000x2000 mm

FINISH
GLOSSY



STERLING RIVER

Suitable
Applications

- 
MALL
- 
HALL
- 
HOTEL
- 
AIRPORT
- 
SPA



SIZE
1000x2000 mm

FINISH
GLOSSY





GRIS POLIDO

Suitable

Applications



MALL



HALL



HOTEL



AIRPORT



SPA



SIZE
1000x2000 mm

FINISH
GLOSSY





STALLION BLACK

Suitable

Applications



MALL



HALL



HOTEL



AIRPORT



SPA



SIZE
1000x2000 mm

FINISH
HIGH GLOSSY





ARISTON GREY

Suitable

Applications



MALL



HALL



HOTEL



AIRPORT



SPA



SIZE
1000x2000 mm

FINISH
HIGH GLOSSY



MARMOL BLANCO

Suitable
Applications

- MALL
- HALL
- HOTEL
- AIRPORT
- SPA



SIZE
1000x2000 mm

FINISH
GLOSSY



TAJMAHAL GREY

Suitable
Applications

- MALL
- HALL
- HOTEL
- AIRPORT
- SPA



SIZE
1000x2000 mm

FINISH
GLOSSY



STALLION GREY

Suitable
Applications

- 
MALL
- 
HALL
- 
HOTEL
- 
AIRPORT
- 
SPA



SIZE
1000x2000 mm


FINISH
GLOSSY



MOANA INFINITY



Suitable
Applications

- 
MALL
- 
HALL
- 
HOTEL
- 
AIRPORT
- 
SPA



SIZE
1000x2000 mm

FINISH
HIGH GLOSSY





SASSO ANTRACITE

Suitable
Applications



MALL



HALL



HOTEL



AIRPORT



SPA



SIZE
1000x2000 mm

FINISH
HIGH GLOSSY





SASSO BEIGE

Suitable
Applications



MALL



HALL



HOTEL



AIRPORT



SPA



SIZE
1000x2000 mm

FINISH
GLOSSY





SASSO GREY

Suitable

Applications



MALL



HALL



HOTEL



AIRPORT



SPA



SIZE
1000x2000 mm

FINISH
GLOSSY





SASSO GRIS

Suitable

Applications



MALL



HALL



HOTEL



AIRPORT



SPA



SIZE
1000x2000 mm

FINISH
GLOSSY



SASSO SILVER

Suitable
Applications



MALL



HALL



HOTEL



AIRPORT



SPA

SIZE
1000x2000 mm

FINISH
GLOSSY



TECHNICAL SPECIFICATIONS

Sr no.	Characteristics	International Std. ISO 13006 / En 14411 Group B1a	Specifications of Metro	Method Of Testing
Dimensions & Surface Quality				
1	Length	±0.6%	±0.1%	ISO 10545-2
2	Thickness	±5.0%	±3.0%	ISO 10545-2
3	Straightness Of Sides	±0.5%	±0.1%	ISO 10545-2
4	Rectangularity	±0.5%	±0.1%	ISO 10545-2
5	Surface Flatness	±0.5%	±0.1%	ISO 10545-2
6	Glossiness (Only For Polished Products)	Declared By Manufacturer	92-105%	ISO 2813(Gloss Meter)
7	Surface Quality	Min. 95% Tiles Should Be Free From Defects	Min. 98% Tiles Are Free From Defects	ISO 10545-2
Physical Characteristics				
8	Water Absorption	E≤ 0.50%	≤ 0.50%	ISO 10545-3
9	Moh's Hardness	≥ 6	≥ 6	ISO 10545-3
10	Moisture Expansion	Nil	Nil	ISO 10545-10
11	Abrasion Resistance	Declared By Manufacturer	Pei 3-5 (Depend On Product)	ISO 10545-7
Mechanical Characteristics				
12	Flexural Strength (MOR)	≥ 35 N/mm ² (350 Kg/cm ²)	≥ 37 N/mm ² (370 Kg/cm ²)	ISO 10545-4
13	Breaking Strength	1300 Newton	2000 Newton	ISO 10545-4
14	Impact Resistance	Declared By Manufacturer	No Indentation or Cracking	ISO 10545-5
Safety Characteristics				
15	Skid Resistance(Dynamic Friction Coefficient)	≥ 0.4	≥ 0.4	ISO 10545-17
16	Density	≥ 2.0 Gm/cc	≥ 2.3 Gm/cc	DIN 51082
Thermo Photo Characteristics				
17	Thermal Shock Resistance	Resistant to 10 Cycles	Pass Min. 10 Cycles	ISO 10545-9
18	Frost Resistance	Frost Proof	Need To Comply With The Standard	ISO 10545-12
19	Coefficient of Linear Thermal Expansion	9x10-6 K-1	> 5.86x10-6 K-1	ISO 10545-8
20	Color Resistance to UV Light	Resistant	Resistant	ISO 10545-16
Chemical Characteristics				
17	Chemical Resistance: Household Chemicals & Swimming Pool Salts	Min. Class - Gb	Conform to Classes - Ga	ISO 10545-13
18	Chemical Resistance: Low Concentration Acids & Alkalis	Min. Class - G1b	Conform to Classes - G1a	ISO 10545-13
19	Chemical Resistance: High Concentration Acids & Alkalis	Min. Class - G1b	Conform to Classes - G1a	ISO 10545-13
20	Stain Resistance	Min. Class - 3	Conform to Classes - 4	ISO 10545-14

Packing Details:

Tile Size	No. of Tiles Per Box	Coverage Area (Approx.) (Sq. Mtrs.)	Coverage Area (Approx.) (Sq. Mtrs.)	Box Weight (Approx.) (Kgs.)
1000 X 2000 MM	2 pcs.	4 Sq. Mtr.	43.04 Sq. Ft.	80 kgs

24^{YEARS}
1997 | 2021

GruppoNueva
one group - one mind - one vision



8-A, National Highway, Lakhadhirpur Road, Ghuntu,
Morbi-363642, Gujrat, INDIA.

Phone Number : +91 90819 88855 , +91 76005 67662

E-mail : hello@ggcl.in

Web : www.ggcl.in , www.grupponueva.com