# The



**GruppoNueva** 

# MATT



**WE ARE** EARN REPUTATION BY TRYING TO DO HARD THINGS WELL IN CERAMIC INDUSTRY OUR BRAND IS ARE VOICE AND A PRODUCT IS A SOUVENIR.

Today **GruppoNueva** is the most famous brand among the architectures and interiors who loves ggressive creatively in glazed porcelain tiles. **GruppoNueva** is founded in 2016, the main goal is to carve out a leading role in the tiles market as a first company which is providing extra ordinary surfaces Glazed Vitrified tiles, Polished Glazed Vitrified tiles, laminate wooden finish, sugar finish, metallic finish, carving finish and high glossy. Within just short period, "**GruppoNueva**" has earned its reputation among the customers just because of aims to satisfy the needs of an individual, not only Providing Quality Insurance but are also providing cost effective tile with the help of Well Organized Marketing & Distribution Channel among the India & Overseas Market.

#### TIMELESS







Features & Solutions

**Discover** the perfect blend of simplicity and sophistication in our Matt Finish collection. Discover the perfect blend of simplicity and elegance that sparks inspiration and allows you to create stunning combinations. Upgrade your space with our captivating Matt Finish and unleash your creativity with endless design options.



SOUND REDUCTION



DIMENSIONAL STABILITY



HIGH STRENGTH



EASY MAINTENANCE



CHEMICAL RESISTANT



IMPACT RESISTANCE




WATER RESISTANT




FIRE RESISTANT

# MATT

Tap Here



# MATT









Topaz Natural

Toranado Grey

Toranado Light Brown

Design

#### **Boston Brown**








Design

#### **Boston Natural**








Design

#### **Boston Nero**








Design

#### **Dolomite Sand**









Design

#### **Fontana Crema**

Size / 600x1200mm | Thickness / 9mm | Random-4





Finish


Matt



Design

#### Fontana Greige







Design

#### **Fontana Grey**









Design

#### Fontana Pearl








Design

#### **Fontana Silver**

Size / 600x1200mm | Thickness / 9mm | Random-4





Matt



Design

#### **Fossil Grey**

Size / 600x1200mm | Thickness / 9mm | Random-4





Matt



Design

#### **Fossil Silver**







Design

#### **Granite Sand**







Design

#### **Hilton Bianco**








Design

#### **Hilton Light Grey**










Design

#### **Limestone Crema**







Design

#### **Limestone Azul**

Size / 600x1200mm | Thickness / 9mm | Random-4











Matt






Design

#### **Limestone Camel**








Design

#### **Limestone Grey**







Design

#### **London Grey**







Design

#### **Rivera Silver**


















Design

### **Riversand Beige**








Design

#### **Riversand Brown**








Design

#### **Riversand Grey**








Design

#### **Riversand Natural**

Size / 600x1200mm | Thickness / 9mm | Random-5





Matt






Design

#### **Slate Sand**

Size / 600x1200mm | Thickness / 9mm | Random-4






Matt



Design

#### **Topaz Beige**







Design

### **Topaz Mist**








Design

### **Topaz Natural**








Design

#### **Toranado Grey**








Design

#### **Toranado Light Brown**







#### TECHNICAL SPECIFICATION

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
'	REGULATORY PR	POPERTIES	
Deviation in Lenth & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter
	STRUCTURAL PR	OPERTIES	
Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082
	MASSIVE MECHANICA	AL PROPERTIES	
Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
mpact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5
'	SURFACE MECHANIC	AL PROPERTIES	
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101
	THERMO HYGROMETE	RIC PROPERTIES	
Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 -6	Max 6.5x10 -6	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11
	CHEMICAL PRO	PERTIES	
Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14
	SAFETY PROF	PERTIES	
Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

#### **PACKING DETAILS**

DIMENSION	PIECES	COVERAGE
600x1200MM	2	1.44 sq. mtr.

DISCLAIMER: We tiles reserve the right to deleted and amend either totally or partially, any of the colors, shape, sizes, references and other technical specification contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors.



8-A, Lakhdhirpur Road, Beside Narmada Canal, Morbi, Gujarat 363 642

+91 82382 38275

www.grupponueva.com

hello@grupponueva.com