






THE LUXURIOUS
TILE PRESENTS
QUALITY AND
ENDURING
IN ANY
ENVIRONMENT



Going back in 1997,

It all started in the small town of Morbi. We were one of the first manufacturers to bring automated Italian technology to India. We had started with the 30x30cm Ceramic Floor Tiles and made our way with consistent hard work, passion, and strong values to become a trusted partner throughout the world.

Under the guidance of our founders, the third generation of the group has introduced Gruppo Nueva, A brand that stands for New Thinking. Thinking that aligns with our client's need to serve them better.

Nueva produces surfaces inspired by nature.

I PRODUCT PROPERTIES













I COMPACTNESS

Porcelain stoneware has Compact, non-porous Surfaces. This characteristic Makes the material highly Safe, hygienic and ideal for Food contact.

I HYGENIC

Porcelain stoneware are Nsf-certified for direct food Contact and are therefore Ideal for safe use in both Domestic and restaurant Settings.

I STRENGTH

Porcelain stoneware has Excellent strength and surface Hardness make the surfaces Resistant to wear, scratches And almost all physical and Mechanical stresses.

TECH-MARBLE


Thanks to advanced production Technology, skype tiles are allow The reproduction of any colour, Texture, pattern or textural effect Guaranteeing extraordinary Aesthetic versatility.

I STABILITY

The chemical-physical Stability of porcelain Stoneware makes it a Material resistant to Chemicals, not prone to Color changes.


CAPTIVATE THE SENSES WITH THE EXQUISITE BEAUTY.





EVERY SPACE TELLS A STORY, LET TILES BE YOUR NARRATOR.

Plain Tiles (Silver Carving)



Plain Tiles (Golden Carving)





CARVING CHANNEL

04 RANDOMS





DESIGN INFORMATION

Design Name 751 Golden



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4









CARVING CHANNEL

04 RANDOMS












DESIGN INFORMATION


Design Name 752 Golden



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4









CARVING CHANNEL

04 RANDOMS






DESIGN INFORMATION

Design Name **753 Golden**



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4









CARVING CHANNEL

04 RANDOMS





DESIGN INFORMATION


Design Name 754 Golden



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4










CARVING CHANNEL

04 RANDOMS






DESIGN INFORMATION


Design Name **755 Golden**



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4









CARVING CHANNEL

04 RANDOMS






DESIGN INFORMATION

Design Name 756 Golden



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4









CARVING CHANNEL

04 RANDOMS






DESIGN INFORMATION


Design Name 757 Golden




SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4









CARVING CHANNEL

04 RANDOMS






DESIGN INFORMATION


Design Name 758 Golden



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4









CARVING CHANNEL

04 RANDOMS





DESIGN INFORMATION


Design Name 759 Golden



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4









CARVING CHANNEL

04 RANDOMS






DESIGN INFORMATION

Design Name 760 Golden




SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4







CARVING CHANNEL

04 RANDOMS






DESIGN INFORMATION


Design Name 761 Golden



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4









CARVING CHANNEL

04 RANDOMS






DESIGN INFORMATION


Design Name 762 Golden



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4









CARVING CHANNEL

04 RANDOMS






DESIGN INFORMATION

Design Name 763 Golden



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4









SILVER CARVING

EMBELLISHING SPACE WITH DIVINE LOOKING ELEGANCE.

Each tile is a masterpiece, meticulously crafted to bring intricate patterns and stunning details to life. Our Silvercarving tiles are not just surfaces; they are a celebration of artistry and a testament to the beauty of hand-carved designs.

Size 600x1200MM 60x120CM



CARVING CHANNEL

04 RANDOMS





DESIGN INFORMATION

Design Name **753 Silver**



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4










CARVING CHANNEL

04 RANDOMS






DESIGN INFORMATION


Design Name **755 Silver**



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4









CARVING CHANNEL

04 RANDOMS





DESIGN INFORMATION


Design Name **756 Silver**



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4









CARVING CHANNEL

04 RANDOMS





DESIGN INFORMATION


Design Name **758 Silver**



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4









CARVING CHANNEL

04 RANDOMS






DESIGN INFORMATION

Design Name **761 Silver**



SURFACE GLOSSY GOLDEN & SILVER

600x1200MM 60x120CM | 2'x4







TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Peviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
raightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
ectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
urface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
urface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
urface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
urface quality	> 95% defects free	> 95% defects free	ISO 10545-2
nall Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
ossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
ossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
ossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
ructural Properties			
/ater absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
ılk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
assive Mechanical Properties			
odulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
eaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
eaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
eaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
urface Mechanical Properties			
OH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
urface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
eep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
nermal Hydrometric Properties			
oisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
ermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
ermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
pact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
ost resistance	as per mfg.	Frost Proof	ISO 10545-12
nemical Properties			
esistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
esistance to household chemicals & vimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
esistance to low concentrate acid and kalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
esistance to high concentrate acid and kalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
afety Properties			
kid resistance COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
ip resistance - (Satin / Matt (DCOF) L value)##	as per mfg.	R9 to R13**	DIN 51130
re resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	9mm	2 pcs.	1.44 sq. mtr.	27 KG (APPROX)



8-A, Lakhdhirpur Road, Beside Narmada Canal, Morbi, Gujarat 363 642

+91 77770 40468 | international@grupponueva.com www.grupponueva.com

